





#### ZT4204L

◆ PEAK POWER+™ TECHNOLOGY Combines the power of up to 6 EGO 56V ARC Lithium™ batteries

POWER OF GAS
 Delivers the equivalent of 22 horsepower and reaches speeds up to 8 mph

POWER WITHOUT LIMITS

Fully expandable run time - just add more batteries to cut as

many acres as needed

FULLY CUSTOMIZABLE
 Intuitive LCD interface for complete
 customization of your mowing experience

FEEL THE COMFORT
 Adjustable hydraulic
 suspension seat
 guarantees a
 smooth ride



		-	I ILU IL	
CUTTING CAPACITY	42" (2 X	42" (2 X 21") BLADES		
SELF-PROPELLED SPEED	3 - 8 MI	3 - 8 MPH		
BATTERY BAY		UP TO 6 56V ARC Lithium™batteries		
RUN TIME*	20Ah	40Ah^	60h	
	1 Acre	2 Acres	3 Acres	
VARIABLE SPEED	3-8 MPI	3-8 MPH		
NO LOAD SPEED	2,400-3	2,400-3,200 rpm		
CUT HEIGHT SETTINGS	10 Adjus	10 Adjustments from 1.5" - 4.5"		
DRIVING MODES	3 (Conti	3 (Control, Standard, Sport)		
REAR COLLECTION	Variable	Variable		
MOTOR	4 x Brus	4 x Brushless Motors		
LED LIGHTS	32	32		
WEIGHT WITHOUT BATTERY	410 lbs			
*Run time may vary and depends on battery used, ch:	arge level of battery, c	ondition of grass and us	er's operation technique	

on time may vary and depends on dattery daso, charge issue or dattery, condition of glass and dash s operation technique. "Kit includes charger and highlighted battery.







POWER

21" SELF-PROPELLED SELECT CUT" XP CORDLESS MOWER

#### **⊕** SELECT CUT™ MULTI-BLADE SYSTEM

Choose your lower blade; high-lift bagging blade, mulching blade or extended run time blade

#### **⊕** TOUCH DRIVE™ TECHNOLOGY

Re-imagined self propel system puts complete control in the palm of your hands



#### LM2156SP

CUTTING CAPACITY	21"		
SELF-PROPELLED SPEED	0.9 - 3.1 MPH		
RUN TIME*	BATTERY SIZE		
	5.OAh	7.5Ah	10.0Ah^
	N/A	Up to 50 mins	Up to 75 mins
CUTTING SPEED CONTROL	Automatic Variable Speed**		
NO LOAD SPEED	2,900 rpm		
CUT HEIGHT SETTINGS	1.25", 1.5", 2", 2.5", 3", 3.5", 4"		
HANDLE HEIGHTS	Three - user adjustable		
REAR COLLECTION	2.0 Bushel		
WEIGHT WITHOUT BATTERY	54 lbs		

"Plan tine may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

""Automatic 'brisble Speed delivers optimal cutting speed to maximise battery run time whilst maintaining asso scutting performance.

"Kit includes charger and highlighted battery.



ARC LITHIUM 56V



POWER MOWER
21" SELF-PROPELLED SELECT CUT" CORDLESS MOWER

#### **⊕** SELECT CUT™ MULTI-BLADE SYSTEM

Choose your lower blade; high-lift bagging blade, mulching blade or extended run time blade

#### **⊕** TOUCH DRIVE™ TECHNOLOGY

Re-imagined self propel system puts complete control in the palm of your hands



#### LM2135SP

CUTTING CAPACITY	21"		
SELF-PROPELLED SPEED	0.9 - 3.1 MPH		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah^
	N/A	Up to 45 mins	Up to 60 mins
CUTTING SPEED CONTROL	Automatic Variable Speed**		
NO LOAD SPEED	2,700 rpm		
CUT HEIGHT SETTINGS	1.25", 1.5", 2", 2.5", 3", 3.5", 4"		
HANDLE HEIGHTS	Three - user adjustable		
REAR COLLECTION	2.0 Bushel		
WEIGHT WITHOUT BATTERY	55.3 lbs		

"Plan tine may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

""Automatic 'brisble Speed delivers optimal cutting speed to maximise battery run time whilst maintaining asso scutting performance.

"Kit includes charger and highlighted battery.







#### LM2133

CUTTING CAPACITY	21"		
SELF-PROPELLED SPEED	N/A		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah^	7.5Ah
	N/A	Up to 45 mins	Up to 60 mins
CUTTING SPEED CONTROL	Automatic Variable Speed**		
NO LOAD SPEED	2,700 rpm		
CUT HEIGHT SETTINGS	1.25", 1.5", 2", 2.5", 3", 3.5", 4		
HANDLE HEIGHTS	Three - user adjustable		
REAR COLLECTION	2.0 Bushel		
WEIGHT WITHOUT BATTERY	55.3 lbs		

◆ SELECT CUT™ MULTI-BLADE SYSTEM
Choose your lower blade; Bagging Blade or Mulching Blade

HIGH TORQUE, HIGH-EFFICIENCY MOTOR Gas power guaranteed



"Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.
""Automatic Tariable Speed delivers optimal cutting speed to maximise battery run time whilst maintaining associating performance.
"Kill includes charger and highlighted battery.







#### LM2101

- 21" ROBUST CUTTING DECK

  Large cutting deck to get the job done faster
- HIGH TORQUE, HIGH-EFFICIENCY MOTOR
   Gas power guaranteed
- ◆ 6-POSITION ONE-HANDED DECK HEIGHT ADJUSTMENTS

  Set heights from 1.5"-4.0"



CUTTING CAPACITY	21"		
SELF-PROPELLED SPEED	No		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah^	7.5Ah
	N/A	Up to 45 mins	Up to 65 mins
CUTTING SPEED CONTROL	Automatic Variable Speed**		
NO LOAD SPEED	2,800 rpm		
CUT HEIGHT SETTINGS	1.5", 2", 2.5", 3", 3.5", 4"		
HANDLE HEIGHTS	Three - user adjustable		
REAR COLLECTION	2.0 Bushel		
NOISE RATING	80 dB(A)		
WEIGHT WITHOUT BATTERY	55.3 lbs		

"Plan tine may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

""Automatic 'brisble Speed delivers optimal cutting speed to maximise battery run time whilst maintaining asso scutting performance.

"Kit includes charger and highlighted battery.







#### LM2102SP

CUTTING CAPACITY	21"			
SELF-PROPELLED SPEED	1.3 - 3.1	1.3 - 3.1 MPH		
RUN TIME*	BATTERY SIZE			
	2.5Ah	5.0Ah	7.5Ah^	
	N/A	Up to 45 mins	Up to 60 mins	
CUTTING SPEED CONTROL	Automati	Automatic Variable Speed**		
NO LOAD SPEED	2,800 rpm			
CUT HEIGHT SETTINGS	1.5", 2", 2.5", 3", 3.5", 4"			
HANDLE HEIGHTS	Three - user adjustable			
REAR COLLECTION	2.0 Bushel			
NOISE RATING	80 dB(A)			
WEIGHT WITHOUT BATTERY	62.6 lbs			

"Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.
"Automatic Pariable Speed delivers uptimal cutting speed to moninise battery run time whilst maintaining grass cutting performance.
"Kil includes charger and inhibited battery.

#### WWW FGOPOWERPIUS CO

# VARIABLE SPEED SELF PROPEL MOTOR Control the self drive speed for a comfortable mow

21" ROBUST CUTTING DECK

Large cutting deck to get the job done faster

HIGH TORQUE, HIGH-EFFICIENCY MOTOR
 Gas power guaranteed

G-POSITION ONE-HANDED DECK HEIGHT ADJUSTMENTS

Set heights from 1.5" - 4.0"

 CONVENIENT PUSH BUTTON START

No more pull string starts, less noise too



POWER MOWER
21" SELF-PROPELLED MOWER WITH PEAK POWER





#### LM2142SP

CUTTING CAPACITY	21"		
SELF-PROPELLED SPEED	0.9 - 3.1 MPH		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah-
	N/A	Up to 80 mins	Up to 120 mins
CUTTING SPEED CONTROL	Automatic Variable Speed**		
NO LOAD SPEED	2,800 rpm		
CUT HEIGHT SETTINGS	1.5", 2", 2.5", 3", 3.5", 4"		
HANDLE HEIGHTS	Three - user adjustable		
REAR COLLECTION	2.0 Bushel		
NOISE RATING	81.5 dB(A)		
WEIGHT WITHOUT BATTERY	62.2 lbs		

"Bun time may vary and depends on battery used, charge level of battery, condition of gases and user's operation technique."
"Automatic Yariable Speed delivers optimal cutting speed to maximise battery run time whist maintaining grass catting performance.
"Ki includes charger and highlighted battery.

WWW.EGOPOWERPLUS.COM

# PEAK POWER+™ TECHNOLOGY Combined the annual of the April 1988

Combines the power of up to 2 EGO 56V ARC Lithium™ batteries

- HIGH TORQUE, HIGH-EFFICIENCY MOTOR
  Gas power guaranteed
- BRIGHT LED LIGHTS

  Mow at dusk and dawn









INDUSTRY'S MOST POWERFUL BLOWER

Turbo boost mode delivers 765 CFM

★ VARIABLE SPEED CONTROL Blows from 260 - 580 CFM

HIGH EFFICIENCY BRUSHLESS MOTOR Delivers more power, durability and greater run time

\*\* FLAT AND TAPERED NOZZLE ATTACHMENTS\*
Makes cleaning debris even easier

\*\*TRANSPORTED NOZZLE ATTACHMENTS\*\*
\*\*TRANSPORT

CONSTANT SPEED	Yes		
RUN TIME*	BATTERY SIZE		
	4.0Ah	5.0Ah^	
LOW SPEED	Up to 120 mins	Up to 150 mins	
HIGH SPEED	Up to 20 mins	Up to 25 mins	
TURBO	Up to 12 mins	Up to 15 mins	
	LOW	HIGH	
AIR VOLUME	260	580	
SOUND PRESSURE	64 dB		
NEWTON FORCE	26N of blowing force		
SPEED SETTING	Variable		
WEIGHT WITHOUT BATTERY	4.6 lbs		

\*Run time may vary and depends on battery used, charge level of battery and user's operation technique. "Kit includes charger and highlighted battery."







INDUSTRY'S MOST POWERFUL BLOWER

Turbo boost mode delivers 650 CFM

★ VARIABLE SPEED CONTROL Blows from 225 - 465 CFM

HIGH EFFICIENCY BRUSHLESS MOTOR Delivers more power, durability and greater run time



CONSTANT SPEED	Yes				
RUN TIME*	BATTERY	BATTERY SIZE			
	2.5Ah	5.OAh^	7.5Ah		
LOW SPEED	N/A	Up to 200 mins	Up to 300 mins		
HIGH SPEED	N/A	Up to 30 mins	Up to 45 mins		
TURBO	N/A	Up to 15 mins	Up to 23 mins		
	LOW	HIGH	TURBO		
AIR VOLUME	225	465	650		
SOUND PRESSURE	64 dB	64 dB			
NEWTON FORCE	21N of blowing force				
SPEED SETTING	Variable				
WEIGHT WITHOUT BATTERY	4.80 lbs				

\*Run time may vary and depends on battery used, charge level of battery and user's operation technique. "Kit includes charger and highlighted battery."

WWW FGOPOWERPLUS COM







- TURBO BOOST MODE
   Blows at 615 CFM for unprecedented power & performance
- VARIABLE SPEED CONTROL
   200-480 CFM delivers ultimate control
- HIGH EFFICIENCY BRUSHLESS MOTOR
   Delivers more power, durability and greater run time



CONSTANT SPEED	Yes				
RUN TIME*	BATTERY SIZE				
	2.5Ah^	5.OAh	7.5Ah		
LOW SPEED	Up to 100 mins	Up to 200 mins	Up to 300 mins		
HIGH SPEED	Up to 10 mins	Up to 30 mins	Up to 45 mins		
TURBO	Single	Up to 18 mins	Up to 30 mins		
	LOW	HIGH	TURBO		
AIR VOLUME	200	480	615		
SOUND PRESSURE	63 dB	63 dB			
NEWTON FORCE	19N of blowing force				
SPEED SETTING	Variable				
WEIGHT WITHOUT BATTERY	4.8 lbs				
		1.171			

\*Run time may vary and depends on battery used, charge level of battery and user's operation technique. "Kit includes charger and highlighted battery."

WWW FGOPOWERPLUS COM







- TURBO BOOST MODE
   Blows at 530 CFM; more powerful than many gas-powered blowers
- ◆ VARIABLE SPEED CONTROL Blows from 260 400 CFM
- HIGH EFFICIENCY BRUSHLESS MOTOR Delivers more power, durability and greater run time
- FLAT AND TAPERED NOZZLE ATTACHMENTS
   Makes cleaning debris easier



RUN TIME*   BATTERY SIZE					
2.5Ah	CONSTANT SPEED	Yes			
Up to 75 mins   150 mins   225 mins	RUN TIME*	BATTERY SIZE			
TURBO		2.5Ah^	5.0Ah	7.5Ah	
1	LOW SPEED				
10 mins   20 mins   30 mins     10 mins   20 mins   30 mins     10 mins   20 mins	HIGH SPEED				
AIR VOLUME         260         400         530           SOUND PRESSURE         65 dB           NEWTON FORCE         16N of blowing force           SPEED SETTING         Variable	TURBO				
SOUND PRESSURE 65 dB  NEWTON FORCE 16N of blowing force  SPEED SETTING Variable		LOW	HIGH	TURBO	
NEWTON FORCE 16N of blowing force  Speed Setting Variable	AIR VOLUME	260	400	530	
SPEED SETTING Variable	SOUND PRESSURE	65 dB			
100000	NEWTON FORCE	16N of blowing force			
WEIGHT WITHOUT BATTERY 4.80 lbs	SPEED SETTING	Variable			
	WEIGHT WITHOUT BATTERY	4.80 lbs			

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

\*Kit includes charger and highlighted battery.







- TURBO BOOST MODE
   Blows at 580 CFM; more powerful than many gas-powered blowers
- ◆ VARIABLE SPEED CONTROL Blows from 225-490 CFM
- HIGH EFFICIENCY BRUSHLESS MOTOR Delivers more power, durability and greater run time
- FLAT AND TAPERED NOZZLE ATTACHMENTS
   Makes clearing debris even easier



CONSTANT SPEED	Yes			
RUN TIME*	BATTERY SIZE			
	2.5Ah	5.0Ah <sup>-</sup>	7.5Ah	
LOW SPEED	Up to 100 mins	Up to 200 mins	Up to 300 mins	
HIGH SPEED	Up to 15 mins	Up to 30 mins	Up to 45 mins	
TURBO	Up to 9 mins	Up to 18 mins	Up to 27 mins	
	LOW	HIGH	TURBO	
AIR VOLUME	225	490	580	
SOUND PRESSURE	64 dB			
NEWTON FORCE	18N of blowing force			
SPEED SETTING	Variable			
WEIGHT WITHOUT BATTERY	4.80 lbs			

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique. "Kit includes charger and highlighted battery.







#### PH1400

MOTOR TYPE	Brushless
ROTATING DIRECTION	Counter Clockwise
SPEED CONTROL	2-Speed Variable
DRIVE SHAFT MATERIAL	7mm solid steel
DRIVE TUBE TYPE	Aluminium
COUPLING MECHANISM	Tool-free quick change
WEIGHT	5.8 lbs

### 

Delivers more power, durability and greater run time

**•** VARIABLE SPEED TRIGGER WITH 2-SPEED SELECTOR

Allows you to adapt the speed for the specific attachment and application

JUST ADD ATTACHMENTS (SHOWN BELOW AND SOLD SEPARATELY)

Exclusively compatible with all EGO Multi-Head









#### **®** RAPID RELOAD HEAD

Makes it faster and easier to rewind your line and get back to work

◆ 15" CUTTING SWATH

To trim more of your yard faster

.095" PROFESSIONAL GRADE DUALTWIST LINE
 Delivers professional-grade results

⊕ FOR USE WITH THE PH1400

Attachment is exclusively compatible with the EGO Multi-Head System Power Head



#### STA1500

WEIGHT	3.5 lbs		
TOTAL LENGTH	38"		
SHAFT TYPE	Straight		
CUTTING SPEED	5,000 - 6,000 rpm		
RUN TIME	BATTERY SIZE		
	2.5Ah 5.0Ah 7.5Ah		7.5Ah
	Up to 18 mins	Up to 45 mins	Up to 72 mins
CUTTING WIDTH	15"		
LINE DIAMETER	0.95"		
CUTTING HEAD	Rapid Reload trimmer head		







#### ⊕ 3" MAX CUTTING DEPTH

For a crisp, precise edges around driveways, sidewalks and patios

**• QUICK AND EASY DEPTH ADJUSTMENT** 

Guide wheel with depth-adjustment knob lets you customize your edge

⊕ FOR USE WITH THE PH1400

Attachment is exclusively compatible with the EGO Multi-Head System Power Head



#### EA0800

		LHOUGU	
WEIGHT	5.0 lbs		
TOTAL LENGTH	36"		
SHAFT TYPE	Straight		
CUTTING SPEED	3,400 - 4,000 rpm		
RUN TIME	BATTERY SIZE		
	5.0Ah	7.5Ah	
	Up to 60 mins	Up to 100 mins	
BLADE LENGTH	8"		
CUTTING DEPTH	Up to 3"		
BLADE THICKNESS	0.12"		
DEBRIS GUARD MATERIAL	Aluminium casting		
BLADE ARBOR HOLE SIZE	1"		
GUIDE WHEEL SIZE	5" X 1.5"		

Battery and charger not included

WWW.EGOPOWERPLUS.COM







#### ⊕ 1" CUT CAPACITY

The industry-leading 1" cut capacity lets you tackle thicker branches

**⊕** 12 POSITION ARTICULATING HEAD

Conveniently allows you to cut at any angle

**•** SERVICEABLE BLADES

Serviceable steel blades ensure durability and longevity

⊕ FOR USE WITH THE PH1400 AND EP7500

Attachment is exclusively compatible with the EGO Multi-Head System Power Head

HTA2000

WEIGHT	4.8 lbs			
TOTAL LENGTH	63" (unfolded)			
SHAFT TYPE	Straight	Straight		
CUTTING SPEED	2,800 - 3,200 spm			
RUN TIME	BATTERY SIZE			
	2.5Ah 5.0Ah		7.5Ah	
	Up to Up to Up to 37 mins 82 mins 122 min		Up to 122 mins	
BLADE LENGTH	20"			
MAX. CUT CAPACITY	1"			
CUTTING POSITIONS	12 fixed cutting angle positions			
OIL TANK	4.8 lbs			







### ⊕ DURABLE 10" BAR & CHAIN

For superior performance cut after cut

#### **•** AUTO LUBRICATION

Lets you keep working until the job is done

#### **WEATHER RESISTANT**

Rugged construction keeps your tool safe under more conditions

#### **•** FOR USE WITH THE PH1400 AND EP7500

Attachment is exclusively compatible with the EGO Multi-Head System Power Head

#### PSA1000

			IONTOOD
WEIGHT	4.2 lbs		
TOTAL LENGTH	56"		
SHAFT TYPE	Straight		
CUTTING SPEED	15 M/S		
RUN TIME	BATTERY S	IZE	
	2.5Ah	5.0Ah	7.5Ah
	Up to 70 cuts	Up to 140 cuts	Up to 210 cuts
BLADE MATERIAL/TYPE	Oregon 901	PXO40X	
GUIDE BAR LENGTH	10"		
CHAIN PITCH	3/8"		
CHAIN GAUGE	0.043"		
MAX. CUTTING DIAMETER	8"		
OIL TANK CAPACITY	7.4 oz		

Battery and charger not included

WWW.EGOPOWERPLUS.COM







# ADJUSTABLE STEEL TINES

Adjustable from 8 to 9.5 inches

#### **WEATHER RESISTANT**

Rugged construction keeps your tool safe under more conditions

#### **•** FOR USE WITH THE PH1400

Attachment is exclusively compatible with the EGO Multi-Head System Power Head



#### CTA9500

WEIGHT	8.59 lbs			
TOTAL LENGTH	39"	39"		
SHAFT TYPE	Straight			
CUTTING SPEED	210 -240 rpm			
	BATTERY SIZE			
RUN TIME	BATTERY S	IZE		
RUN TIME	BATTERY S 2.5Ah	IZE 5.0Ah	7.5Ah	
RUN TIME			7.5Ah Up to 120 mins	

Battery and charger not included.







#### BBA2100

WEIGHT 11 lhs TOTAL LENGTH 40" SHAFT TYPE Straight **CUTTING SPEED** 210 -240 rom RIIN TIME BATTERY SIZE 2.5Ah 5.0Ah 7 5Ah Up to Up to Up to 50 mins 100 mins 150 mins **CLEANING WIDTH** 22"

22" SWEEPING SURFACE
Cleans large areas

DURABLE NYLON BRISTLES

Ideal for dust, dirt leaves, snow, artificial turf and rocks

**WEATHER RESISTANT** 

Rugged construction keeps your tool safe under more conditions

**•** FOR USE WITH THE PH1400

Attachment is exclusively compatible with the EGO Multi-Head System Power Head









#### RBA2100

WEIGHT 13 89 lbs TOTAL LENGTH 40" SHAFT TYPE Straight **CUTTING SPEED** 210 -240 rom RIIN TIME BATTERY SIZE 2.5Ah 5.0Ah 7.5Ah Up to Up to Up to 50 mins 100 mins 150 mins **CLEANING WIDTH** 21"

21" SWEEPING SURFACE
Cleans large areas

DURABLE RUBBER SWEEPER
 Ideal for rocks and heavy debris

WEATHER RESISTANT
 Rugged construction keeps your tool safe under more conditions

FOR USE WITH THE PH1400 Attachment is exclusively compatible with the EGO Multi-Head System Power Head









#### ED0804

RUN TIME*	TIME* BATTERY SIZE	
	5.0Ah*	7.5Ah
	Up to 60 mins	Up to 100 mins
BLADE LENGTH	8"	
CUTTING DEPTH	up to 3"	
BLADE THICKNESS	0.12"	
BLADE ARBOUR HOLE SIZE	1"	
HARNESS	Single shoulder (no harness included)	
LENGTH	74"	
WEIGHT	10.5 lbs	

**⊕** 3" MAX CUTTING DEPTH

For a crisp, precise edges around driveways, sidewalks and patios

**⊕ QUICK AND EASY DEPTH ADJUSTMENT** 

Guide wheel with depth-adjustment knob lets you customize your edge

**WEATHER RESISTANT** 

Rugged construction keeps your tool safe under more conditions



Battery and charger are included







#### ST1502SA

		JI	TJUCJI
CUTTING WIDTH	15"		
RUN TIME*	BATTERY S	IZE	
	2.5Ah^	5.0Ah	7.5Ah
	Up to 30 mins	Up to 60 mins	Up to 90 mins
SPEED CONTROL	Variable sp	need	
NO LOAD SPEED	4,000 - 5,8	300 rpm	
SOFT-START	Yes		
LINE DIAMETER	.095"		
LINE FEED	Rapid relo	ad bump fee	d head
DUAL LINE	Yes		
ROTATING DIRECTION	Clockwise		
WEIGHT WITHOUT BATTERY	7.3 lbs		
MOTOR TYPE	Brushless		

- RAPID RELOAD BUMP FEED HEAD
  For quick and easy line loading
- **LARGE 15" CUTTING SWATH**For faster, more efficient trimming
- HI-EFFICIENCY BRUSHLESS MOTOR
   Delivers more power, durability and greater run time
- DUAL-FEED .095" DIAMETER LINE
  For optimum cutting performance



\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

"Kit includes charger and highlighted battery.



POWER STRING TRIMMER
15" STRING TRIMMER WITH POWERLOAD





#### ST1521S

			IIIOCI
CUTTING WIDTH	15"		
RUN TIME*	BATTERY SIZE		
	2.5Ah <sup>-</sup>	5.0Ah	7.5Ah
	Up to 30 mins	Up to 60 mins	Up to 90 mins
SPEED CONTROL	Variable sp	need	
NO LOAD SPEED	4,000 - 5,800 rpm		
SOFT-START	Yes		
LINE DIAMETER	.095"		
LINE FEED	Powerload	™ bump feed	head
DUAL LINE	Yes		
ROTATING DIRECTION	Clockwise		
WEIGHT WITHOUT BATTERY	7.05 lbs		
MOTOR TYPE	Brushless		

**⊕** POWERLOAD™ TECHNOLOGY

Powerload head, load your line, push a button and go

**⊕** CARBON FIBER SHAFT

Industry's Most Durable Shaft; Equipped with a lifetime warranty

- ★ LARGE 15" CUTTING SWATH For faster, more efficient trimming
- HI-EFFICIENCY BRUSHLESS MOTOR

  Delivers more power, durability and greater run time
- DUAL-FEED .095" DIAMETER LINE
  For optimum cutting performance



\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

"Kit includes charger and highlighted battery.







#### ST1623

	011020
CUTTING WIDTH	16"
RUN TIME*	BATTERY SIZE
	4.0Ah
	Up to 60 mins
SPEED CONTROL	Variable speed
NO LOAD SPEED	3,500 - 5,500 rpm
SOFT-START	Yes
LINE DIAMETER	.095"
LINE FEED	Line IQ: Auto Feed, No Bump
DUAL LINE	Yes
SHAFT TYPE	Straight with foldable hinge
ROTATING DIRECTION	Clockwise
WEIGHT WITHOUT BATTERY	7.5 lbs
MOTOR TYPE	Brushless

**⊕** LINE IO™ TECHNOLOGY

LINE IQ™ feed, autofeed, no bump, high performance trimming

⊕ POWERLOAD™ TECHNOLOGY

Powerload head, load your line, push a button and go

**⊕** TELESCOPIC CARBON FIBER SHAFT

Industry's Most Durable Shaft; Equipped with a lifetime warranty

⊕ LARGE 16" CUTTING SWATH For faster, more efficient trimming

HI-EFFICIENCY BRUSHLESS MOTOR

Delivers more power, durability and greater run time

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique 'Kit includes charger and highlighted battery.



POWER STRING TRIMMER
15" STRING TRIMMER WITH POWERLOAD"





#### S115111

CUTTING WIDTH	15"		
RUN TIME*	BATTERY SIZE		
	2.5Ah^	5.OAh	7.5Ah
	Up to 45 mins	Up to 90 mins	Up to 135 mins
SPEED CONTROL	2-Speed V	ariable	
NO LOAD SPEED	3,500-4,500 / 4,000-5800 RPM		800 RPM
SOFT-START	Yes		
LINE DIAMETER	.095"		
LINE FEED	Powerload™ bump feed head		
DUAL LINE	Yes		
ROTATING DIRECTION	Clockwise		
WEIGHT WITHOUT BATTERY	7.4 lbs		
MOTOR TYPE	Brushless		

**⊕** POWERLOAD™ TECHNOLOGY

Powerload head, load your line, push a button and go

- TELESCOPIC ALUMINUM SHAFT
  Quickly fits your height for ultimate comfort
- ★ LARGE 15" CUTTING SWATH For faster, more efficient trimming
- HI-EFFICIENCY BRUSHLESS MOTOR
   Delivers more power, durability and greater run time
- DUAL-FEED .095" DIAMETER LINE
  For optimum cutting performance
- VARIABLE SPEED TRIGGER
   With 2-Speed Selector



"Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique. "Kit includes charger and highlighted battery.







- TURBO BOOST MODE
   Blows at 600 CFM; more powerful than many gas-powered blowers
- ◆ VARIABLE SPEED CONTROL Blows from 260 500 CFM
- HIGH EFFICIENCY BRUSHLESS MOTOR Delivers more power, durability and greater run time
- ADJUSTABLE HARNESS WITH WAIST BELT
  For comfort during both long and short work sessions



CONSTANT SPEED	Yes				
RUN TIME*	BATTERY	BATTERY SIZE			
	2.5Ah	5.0Ah	7.5Ah^		
LOW SPEED	N/A	Up to 120 mins	Up to 180 mins		
HIGH SPEED	N/A	Up to 22 mins	Up to 33 mins		
TURBO	N/A	Up to 15 mins	Up to 23 mins		
	LOW	HIGH	TURBO		
AIR VOLUME	260	500	600		
SOUND PRESSURE	65 dB	65 dB			
SPEED SETTING	Variable with Cruise Control				
WEIGHT WITHOUT BATTERY	12.5 lbs	12.5 lbs			
		to de la			

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

\*Kit includes charger and highlighted battery.

WWW FGOPOWERPHIS COM







- TURBO BOOST MODE
   Blows at 600 CFM; more powerful than many gas-powered blowers
- ★ VARIABLE SPEED CONTROL Blows from 260 - 500 CFM
- HIGH EFFICIENCY BRUSHLESS MOTOR Delivers more power, durability and greater run time
- ADJUSTABLE HARNESS WITH WAIST BELT
  For comfort during both long and short work sessions



CONSTANT SPEED	Yes		
RUN TIME*	BATTERY SIZE		
	2.5Ah	5.0Ah	7.5Ah^
LOW SPEED	N/A	Up to 120 mins	Up to 180 mins
HIGH SPEED	N/A	Up to 22 mins	Up to 33 mins
TURBO	N/A	Up to 15 mins	Up to 23 mins
	LOW	HIGH	TURBO
AIR VOLUME	260	500	600
SOUND PRESSURE	65 dB		
SPEED SETTING	Variable with Cruise Control		
WEIGHT WITHOUT BATTERY	12.5 lbs		
48		to f	

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

\*Kit includes charger and highlighted battery.

WWW FGOPOWERPHIS COM







#### MHC1502

7.5Ah

Up to 45 mins Up to 70 mins

Up to 60 mins Up to 100 mins



WEIGHT







## ⊕ 3" MAX CUTTING DEPTH

- SOLID COUPLER STEEL DRIVE SHAFT
   Robust, very strong and easy assembly and disassembly
- SIMPLE AND SECURE COUPLING MECHANISM
   Makes switching attachments quick and easy
- TWO-SPEED RANGE SELECTOR Works with the variable speed trigger to select the correct speed for each task
- COMBO KIT
   Includes the Multi-System Power Head (PH1400 and Edger attachment (EA0800)



### ME0801

				INLUUU
RUN TIME*		BATTERY SIZE		
		2.5Ah*	5.0Ah	7.5Ah
		Up to 30 mins	Up to 60 mins	Up to 100 mins
MOTOR TYPE	PH1400	Brushless		
SPEED CONTROL		2-Speed Variable		
DRIVE SHAFT MATERIAL		7mm solid steel		
DRIVE TUBE TYPE		Aluminium		
COUPLING MECHANISM		Tool-free quick change		
LENGTH		38"		
WEIGHT		5.8 lbs		
BLADE LENGTH	EA0800	8"		
CUTTING DEPTH		Up to 3"		
BLADE THICKNESS		0.12"		
BLADE ARBOUR HOLE SIZE		1"		
HARNESS		Single should	ler (harness su	pplied)
LENGTH		36"		
WEIGHT		5.0 lbs		

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

"Kit includes charger and highlighted battery.







#### ⊕ 10" BAR AND CHAIN

Features a narrow-kerf sprocket nose and double guard bars

SIMPLE AND SECURE COUPLING MECHANISM
 Makes switching attachments quick and easy

**•** AUTO-LUBRICATION

Lets you keep working until the job is done

**①** COMBO KIT

Includes the Multi-System Power Head (PH1400 and Edger attachment (EA0800)



RUN TIME*		BATTERY SIZE				
		2.5Ah*	5.0Ah	7.5Ah		
		Up to 70 cuts	Up to 140 cuts	Up to 210 cuts		
MOTOR TYPE	PH1400	Brushless				
SPEED CONTROL		2-Speed Variable				
DRIVE SHAFT MATERIAL		7mm solid steel				
DRIVE TUBE TYPE		Aluminium				
COUPLING MECHANISM		Tool-free quick change				
LENGTH		38"				
WEIGHT		5.8 lbs				
GUIDE BAR LENGTH	PSA1000	10"				
OIL TANK CAPACITY		7.4 oz.				
CHAIN PITCH/GAUGE		3/8", .043"				
CHAIN BAR		AG1000				
CHAIN TYPE		AC1000				
LENGTH		56"				
WEIGHT		4.2 lbs				

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique. "Kit includes charger and highlighted battery.







BLADE LENGTH	14"		
CHAIN SPEED	13.5 M/S		
RUN TIME*	BATTERY SIZE		
	2.5Ah^	5.0Ah^	7.5Ah
	Up to 130 cuts	Up to 300 cuts	Up to 450 cuts
CHAIN BAR	AG1400		
CHAIN TYPE	AC1400		
OIL RESERVOIR	5 oz.		
CHAIN OIL	Automatic		
CHAIN BRAKE	Yes		
NOISE RATING	85 dB(A)		
CHAIN TENSIONING	Tool free		
WEIGHT WITHOUT BATTERY	8.2 lbs		
MOTOR TYPE	Brushless		
WATER RESISTANCE RATING	IPX4		

"Run time may vary and depends on battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts of pine wood. "Bt includes charger and highbiothed battery.

WWW FGOPOWERPLUS CON

- DURABLE 14" BAR & CHAIN
  For superior performance cut after cut
- CHAIN KICKBACK AND ELECTRIC BRAKE
  Keeps you safe and in control
- HIGH EFFICIENCY BRUSHLESS MOTOR
   Delivers more power, durability and greater run time

TOOL-FREE CHAIN TENSIONING
For simple set up and adjustment









- BLADE LENGTH 16" CHAIN SPEED 13.5 M/S RIIN TIME\* BATTERY SIZE 2 5Ah 5.0Ah^ 7 5Ah Up to 130 Un to 300 Un to 450 cuts cuts cuts CHAIN BAR AG1600 CHAIN TYPE AC1600 OIL RESERVOIR 5 07. CHAIN NII Automatic CHAIN BRAKE Yes NOISE RATING 85 dB(A) CHAIN TENSIONING Tool free WEIGHT WITHOUT BATTERY 8.5 lbs MOTOR TYPE Brushless WATER RESISTANCE RATING IPX4
  - \*Run time may vary and depends on battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts of pine wood. "Kit includes charges and highlighted battery.
    - The includes charger and highlighted battery.

      WWW FGOPOWERPLIIS COM

- DURABLE 16" BAR & CHAIN
  For superior performance cut after cut
- CHAIN KICKBACK AND ELECTRIC BRAKE
  Keeps you safe and in control
- HIGH EFFICIENCY BRUSHLESS MOTOR
   Delivers more power, durability and greater run time
- TOOL-FREE CHAIN TENSIONING
  For simple set up and adjustment









BLADE LENGTH	16"		
CHAIN SPEED	20 M/S		
RUN TIME*	BATTERY SIZE		
	2.5Ah	4.0Ah^	
	Up to 130 cuts	Up to 220 cuts	
CHAIN BAR	AG1600		
CHAIN TYPE	AC1600		
OIL RESERVOIR	5 oz.		
CHAIN OIL	Automatic		
CHAIN BRAKE	Yes		
NOISE RATING	85 dB(A)		
CHAIN TENSIONING	Tool free		
WEIGHT WITHOUT BATTERY	9.0 lbs		
MOTOR TYPE	High-Efficiency	Brushless Motor	
WATER RESISTANCE RATING	IPX4		

"Run time may vary and depends on battery used, charge level of battery and user's operation technique
Based on 100mm x 100mm cuts of pine wood
"Gi includes charge and highlighted battery

WWW FGOPOWERPHIS CON

- DURABLE 16" BAR & CHAIN
  For superior performance cut after cut
- 40CC OF POWER

  The advanced, high-efficiency brushless motor delivers the equivalent power of a 40CC gas chainsaw
- CHAIN KICKBACK AND ELECTRIC BRAKE
  Keeps you safe and in control
- HIGH EFFICIENCY BRUSHLESS MOTOR Delivers more power, durability and greater run time











			00200
BLADE LENGTH	18"		
CHAIN SPEED	20 M/S		
RUN TIME*	BATTERY SIZ	ZE	
	2.5Ah	5.0Ah^	7.5Ah
	Up to 130 cuts	Up to 300 cuts	Up to 450 cuts
CHAIN BAR	AG1800		
CHAIN TYPE	AC1800		
OIL RESERVOIR	7 oz.		
CHAIN OIL	Automatic		
CHAIN BRAKE	Yes		
NOISE RATING	93 dB(A)		
CHAIN TENSIONING	Tool free		
WEIGHT WITHOUT BATTERY	9.6 lbs		
MOTOR TYPE	Brushless		
WATER RESISTANCE RATING	IPX4		

"Run time may vary and depends on battery used, charge level of battery and user's operation technique Based on 100mm x 100mm cuts of pine wood "Kit includes charger and highlighted battery

#### WWW FGOPOWERPIUS COM

# AUTO TENSIONING SYSTEM Tightens the chain with the twist of the dial

RDIGHT LED LIGHTS

- BRIGHT LED LIGHTS
   Illuminate your work area
- DURABLE 18" BAR AND CHAIN
  For superior performance cut after cut
- **HIGH EFFICIENCY BRUSHLESS MOTOR**

Delivers more power, durability and greater run time









#### HT2411

BLADE LENGTH 24" CIIT CAPACITY RIIN TIME\* BATTERY SIZE 5.0Ah 7.5Ah Up to IIn to Up to 75 mins 150 mins 225 mins SPEED CONTROL Single speed NO LOAD SPEEDS 3,000 spm RIANF TYPE Hardened steel cutting blade Dual action: Double-sided **CUTTING ACTION** cutting blade WEIGHT WITHOUT BATTERY 6 16 lbs WATER RESISTANCE RATING IPx4

- 1" CUT CAPACITY
  For tackling thicker hedges and large branches
- 24" DUAL-ACTION HARDENED STEEL BLADE Cleaner, more precise cutting
- ELECTRIC SAFETY BRAKE
   Stops blade when trigger is released
- HIGH EFFICIENCY BRUSHLESS MOTOR
   Delivers more power, durability and greater run time



\*Run time may vary and depends on battery used, charge level of battery and user's operation technique.

Based on 100mm x 100mm cuts of pine wood.

"Kit includes charger and highlighted battery.







#### HT2402

			111210	
BLADE LENGTH	24"			
CUT CAPACITY	0.75"			
RUN TIME*	BATTERY S	BATTERY SIZE		
	2.5Ah <sup>*</sup> 5.0Ah 7.5A		7.5Ah	
	Up to 75 mins	Up to 150 mins	Up to 225 mins	
SPEED CONTROL	Single spe	eed		
NO LOAD SPEEDS	3,000 spm			
BLADE TYPE	Hardened	steel cutting	blade	
CUTTING ACTION	Dual action cutting bl	ın; Double-sid ade	ed	
WEIGHT WITHOUT BATTERY	6.6 lbs			
WATER RESISTANCE RATING	IPx4			

⊕ 3/4" CUT CAPACITY

Power through thick branches

24" DUAL-ACTION HARDENED STEEL BLADE
Cleaner, more precise cutting

**⊕ ELECTRIC SAFETY BRAKE** 

Stops blade when trigger is released

HIGH EFFICIENCY BRUSHLESS MOTOR

Delivers more power, durability and greater run time



"Run time may vary and depends on battery used, charge level of battery and user's operation technique. Based on 100mm x 100mm cuts of pine wood. "Bit includes charger and highlighted battery.







#### HT2501

25"	25"		
1.25"	1.25"		
BATTERY SIZE			
2.5Ah^	5.0Ah	7.5Ah	
Up to 40 mins	Up to 70 mins	Up to 110 mins	
2-Speed (h	2-Speed (high/low)		
2,800/3,200 SPM			
Laser Cut, Diamond Ground cuttin blades			
Dual action; Double-sided cutting blade			
8.4 lbs	8.4 lbs		
IPx4	IPx4		
	1.25"  BATTERY SI  2.5Ah* Up to 40 mins 2-Speed (h 2,800/3,20 Laser Cut, blades Dual action cutting bla 8.4 lbs	1.25"  BATTERY SIZE  2.5Ah' 5.0Ah  Up to Up to 40 mins 70 mins  2-Speed (high/low)  2,800/3,200 SPM  Laser Cut, Diamond Groblades  Dual action; Double-sid cutting blade  8.4 lbs	

⊕ 1-1/4" CUT CAPACITY

Tackle the toughest hedges with ease

25" DOUBLE-SIDED LASER CUT DIAMOND GROUND BLADES
Cleaner, more precise cutting

**⊕** 180-DEGREE ROTATING HANDLE

For ultimate comfort and control

HIGH EFFICIENCY BRUSHLESS MOTOR

Relivers more nower durability and greater run t



\*Run time may vary and depends on hattery used, charge level of battery and user's operation technique

Based on 100mm x 100mm cuts of pine wood

"Dit includes charger and hirhlighted battery







	RUN TIME*		BATTERY SIZE			
			2.5Ah	5.0Ah*	7.5Ah	
			Up to 18 mins	Up to 45 mins	Up to 70 mins	
	MOTOR TYPE	PH1400	Brushless			
	ROTATING DIRECTION		Counter Clockwise			
	SPEED CONTROL  DRIVE SHAFT MATERIAL  DRIVE TUBE TYPE  COUPLING MECHANISM  LENSTH		2-Speed Variable			
			7mm solid steel			
			Aluminium			
			Tool-free quick change			
			38"			
	WEIGHT		5.8 lbs			
	CUTTING SWATH	STA1500	15" (38cm)			
	LINE DIAMETER		.095" (2.5mm), .080" (2.0mm)			
	LINE NUMBERS		Dual-line			
	LINE FEED METHOD		Bump-feed			
	LINE WINDING		Rapid Reload			
	TUBE MATERIAL		Aluminium			
	DRIVE SHAFT		Solid Steel			

	RUN TIME*		BATTERY SIZE				
			2.5Ah	5.0Ah*	7.5Ah		
			Up to 18 mins	Up to 45 mins	Up to 70 mins		
	MOTOR TYPE	PH1400	Brushless				
	ROTATING DIRECTION		Counter Clockwise				
	SPEED CONTROL		2-Speed Variable				
	DRIVE SHAFT MATERIAL		7mm solid steel				
	DRIVE TUBE TYPE		Aluminium				
	COUPLING MECHANISM		Tool-free quick change				
	LENGTH		38"				
	WEIGHT		5.8 lbs				
	CUTTING SWATH	STA1500	15" (38cm)				
	LINE DIAMETER		.095" (2.5mm),	.080" (2.0mm)			
	LINE NUMBERS		Dual-line Dual-line				
	LINE FEED METHOD		Bump-feed				
	LINE WINDING		Rapid Reload				
	TUBE MATERIAL		Aluminium				
	DRIVE SHAFT		Solid Steel				

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique 'Kit includes charger and highlighted battery

# ⊕ RAPID RELOAD HEAD

Makes it faster and easier to rewind your line and get back to work

# ⊕ 15" CUTTING SWATH

To trim more of your yard faster

#### **⊕** 0.095" PROFESSIONAL GRADE DUAL TWIST LINE Delivers professional-grade results

### HIGH-EFFICIENCY BRUSHLESS MOTOR

Delivers longer run time, low vibrations and an extended motor life

#### ⊕ COMBO KIT

Includes the Multi-Head System Power Head (PH1400) and String Trimmer attachment (STA1500)









CUTTING CAPACITY	21"		
RUN TIME*	SNT2102	SNT2103	
	2 x 5.0Ah^	2 x 7.5Ah	
	Up to 60 mins	Up to 90 mins	
CUTTING SPEED CONTROL	Variable Auger-Speed Adjustment		
SINGLE/DUAL STAGE	Single		
MAXIMUM THROWING Distance	35'		
INTAKE HEIGHT	13"		
CHUTE ROTATION	200°		
DECK MATERIAL	Robust Steel		
WEIGHT WITHOUT BATTERY	50.6 lbs		

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique. 'Kit includes charger and highlighted battery.

WWW.EGOPOWERPLUS.COM

⊕ 21" CLEARING WIDTH Clear your driveway in fewer passes

**THE REMOTE CHUTE CONTROL** Adjust the throw at the touch of a lever

**① CONVENIENT PUSH-BUTTON START** Starts the first time every time

⊕ PEAK™ POWER TECHNOLOGY Combines the power of any 2 EGO

**ARC** lithium batteries











**21" CLEARING WIDTH**Clear your driveway in fewer passes

REMOTE CHUTE CONTROL

Adjust the throw at the touch of a lever

**CONVENIENT PUSH-BUTTON START**Starts the first time every time

→ PEAK™ POWER TECHNOLOGY Combines the power of any 2 EGO ARC lithium batteries



		• • • • • • • • • • • • • • • • • • • •	
CUTTING CAPACITY	21"		
RUN TIME*	SNT2102 SNT2103		
	2 x 5.0Ah	2 x 7.5Ah^	
	Up to 60 mins	Up to 90 mins	
CUTTING SPEED CONTROL	<b>G SPEED CONTROL</b> Variable Auger Adjustment		
SINGLE/DUAL STAGE	Single	Single	
MAXIMUM THROWING Distance	35'		
INTAKE HEIGHT	13"		
CHUTE ROTATION	200°		
DECK MATERIAL	Robust Steel		
WEIGHT WITHOUT BATTERY	50.6 lbs		

\*Run time may vary and depends on battery used, charge level of battery, condition of grass and user's operation technique.

"Kit includes charger and highlighted battery.







- ◆ 21" CLEARING WIDTH

  Clear your driveway in fewer passes
- UP TO 40' THROWING DISTANCE

  Remote chute control sends snow far out of your way
- CLEARS 8" OF SNOW ON A 14 CAR DRIVEWAY
   Power through heavy snow and ice in challenging conditions
- → PEAK™ POWER TECHNOLOGY Combines the power of any 2 EGO ARC lithium batteries



	0111221
CLEARING WIDTH	21"
RUN TIME*	SNT2114
	2 x 7.5Ah^
	14 Car Driveway 8" of Snow
CUTTING SPEED CONTROL	Variable Auger-Speed Adjustment
SINGLE/DUAL STAGE	Single
MAXIMUM THROWING DISTANCE	40'
INTAKE HEIGHT	13"
CHUTE ROTATION	180°
DECK MATERIAL	Robust Steel
WEIGHT WITHOUT BATTERY	53 lbs
AUGER MATERIAL	Robust Steel

\*Run time may vary and depends on battery used, charge level of battery, condition of snow and user's operation technique.

\*Kit includes charger and highlighted battery.







	Clear your driveway in fewer passes		
<b>①</b>	UP TO 35' THROWING DISTANCE Remote chute control sends snow far out of your way		
	, ,		

CLEARS 8" OF SNOW ON A 10 CAR DRIVEWAY
 Power through heavy snow and ice in challenging conditions

→ PEAK™ POWER TECHNOLOGY

Combines the power of any 2 EGO

Output

Description:

Ou

ARC lithium batteries

⊕ 21" CLEARING WIDTH



CLEARING WIDTH	21"	
RUN TIME*	SNT2102	SNT2103
	2 x 5.0Ah^	2 x 7.5Ah^
	10 Car Driveway 8" of Snow	16 Car Driveway 8" of Snow
CUTTING SPEED CONTROL	Variable Auger-Speed Adjustment	
SINGLE/DUAL STAGE	Single	
MAXIMUM THROWING DISTANCE	35'	
INTAKE HEIGHT	13"	
CHUTE ROTATION	180°	
DECK MATERIAL	Robust Steel	
WEIGHT WITHOUT BATTERY	50.6 lbs	
AUGER MATERIAL	Rubber	

\*Run time may vary and depends on battery used, charge level of battery, condition of snow and user's operation technique.

\*Kit includes charger and highlighted battery.

WWW FGOPOWERPHIS COM







- Clear your driveway in fewer passes
- UP TO 35' THROWING DISTANCE Remote chute control sends snow far out of your way
- CLEARS 8" OF SNOW ON A 16 CAR DRIVEWAY
   Power through heavy snow and ice in challenging conditions

→ PEAK™ POWER TECHNOLOGY Combines the power of any 2 EGO ARC lithium batteries



		0
CLEARING WIDTH	21"	
RUN TIME*	SNT2102	SNT2103
	2 x 5.0Ah^	2 x 7.5Ah^
	10 Car Driveway 8" of Snow	16 Car Driveway 8" of Snow
CUTTING SPEED CONTROL	Variable Auger-Speed Adjustment	
SINGLE/DUAL STAGE	Single	
MAXIMUM THROWING DISTANCE	35'	
INTAKE HEIGHT	13"	
CHUTE ROTATION	180°	
DECK MATERIAL	Robust Steel	
WEIGHT WITHOUT BATTERY	50.6 lbs	
AUGER MATERIAL	Rubber	
**		

\*Run time may vary and depends on battery used, charge level of battery, condition of snow and user's operation technique.

"Kit includes charger and highlighted battery.

WWW FGNPNWFRPIIIS COM







- ⊕ 24" CLEARING WIDTH
   Clear your driveway in fewer passes
- UP TO 50' THROWING DISTANCE
   Remote chute control sends snow far out of your way
- CLEARS 8" OF SNOW ON A 18 CAR DRIVEWAY
   Power through heavy snow and ice in challenging conditions
- → PEAK™ POWER TECHNOLOGY Combines the power of any 2 EGO ARC lithium batteries



CLEARING WIDTH	24"
RUN TIME*	SNT2405
	2 x 7.5Ah^
	18 Car Driveway 8" of Snow
CUTTING SPEED CONTROL	Variable Auger-Speed Adjustment
SINGLE/DUAL STAGE	DUAL
MAXIMUM THROWING DISTANCE	50'
INTAKE HEIGHT	20"
CHUTE ROTATION	200°
DECK MATERIAL	Robust Steel
WEIGHT WITHOUT BATTERY	143.3 lbs
AUGER MATERIAL	Robust Steel

\*Run time may vary and depends on battery used, charge level of battery, condition of snow and user's operation technique.

\*Kit includes charger and highlighted battery.